

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS**DETAILS OF OUR MAJOR LICENCES, PERMITS AND APPROVALS**

We have various licences and permits for our business operations in Malaysia. Details of the major licences, permits and approvals obtained by our Group for our business operations and the status of compliance as at the LPD are as follows:

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
1.	Central Medicare	Majlis Perbandaran Teluk Intan, Perak ("MPTI")	Trade licence Trade, Business and Industrial Licence (for trades that are harmful in nature) Licence for signboards (3.63x6.66) and (4.24x7.87)	L-0018738-05 / 01096549	1 January 2021 to 31 December 2021	Nil	Complied
2.	Central Medicare	MITI	Manufacturing licences issued by the MITI pursuant to the Industrial Co-ordinations Act, 1975 for our nitrile examination gloves manufacturing activities, at the following premise: H.S. (D) 11119 – 11146, No. PT 2600-2627, Mukim Changkat Jong, Teluk Intan, Perak Darul Ridzuan	A017006 / A028984	21 October 2008 onwards	a) Site: H.S (D) 11119 - 11146 No. PT 2600 - 2627 Mukim Changkat Jong Teluk Intan Perak (Subject to approval from the relevant State Authority and the DOE) b) The sale of shares of Central Medicare must be notified to the MITI c) Central Medicare must train Malaysian citizens so that the transfer of technology and expertise may be channelled across all levels of designation.	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
3.	Central Medicare	MITI	Manufacturing licences issued by the MITI pursuant to the Industrial Co-ordinations Act, 1975 for our surgical gloves manufacturing activities, at the following premise: H.S. (D) 11119 – 11146, No. PT 2600-2627, Mukim Changkat Jong, Teluk Intan, Perak Darul Ridzuan	A017006 / A035020	24 June 2016 onwards	<p>d) Central Medicare shall implement its project as approved in accordance with the laws and regulations of Malaysia.</p> <p>a) Site: H.S (D) 11119 - 11146 No. PT 2609 - 2627 Mukim Changkat Jong 36000 Teluk Intan Perak (Subject to approval from the relevant State Authority and DOE)</p> <p>b) The sale of shares of Central Medicare must be notified to the MITI and Malaysian Investment Development Authority ("MIDA").</p> <p>c) Central Medicare must train Malaysian citizens so that the transfer of technology and expertise may be channelled across all levels of designation.</p> <p>d) Central Medicare to comply with the condition that the Capital Investment Per Employee (CIPE) for the project must be at least RM140,000.00.</p>	The Company has not commenced the manufacturing of surgical gloves as at the LPD

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						<p>e) The total number of workers of Central Medicare at the time of submission of this application to MIDA was 587 workers. The total number of the additional full-time workforce of Central Medicare must comprise at least 80% Malaysians by 2020. The employment of foreign workers including workers obtained through outsourcing is subjected to current policies.</p> <p>f) The total number of the entire full-time workforce of the Company must comprise at least 80% Malaysians by 2020. The employment of foreign workers including workers obtained through outsourcing is subjected to current policies.</p> <p>g) Central Medicare shall implement its project as approved in accordance with the laws and regulations of Malaysia.</p>	
4.	Central Medicare	Lembaga Getah Malaysia ("MRB")	<p><u>Rubber Manufacturing Licence</u></p> <p>1) Manufacturing of rubber products - purchase and storage of rubber for the</p>	A/07/13450 / 035276	13 August 2020 to 12 August 2021	<p>i) Not allowed to buy or sell contaminated rubber.</p> <p>ii) To comply with the MRB orders which are in force from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
			purpose of manufacturing 2) Exportation of rubber gloves – exportation of rubber gloves PT2609-2620 Batu 8, Jalan Changkat Jong, 36000 Teluk Intan, Perak Darul Ridzuan			iii) Required to dispose / destroy contaminated rubber waste in accordance with the MRB instructions which are in force. iv) The extractable protein content of all-natural rubber medical gloves and general- purpose gloves to be exported should not exceed 400pg/g as determined by ASTM D5712:99 test method.	
5.	Central Medicare	Ministry of Health Malaysia	Permit pursuant to the Poisons Ordinance 1952: Permission granted to identified personnel of Central Medicare to purchase, store and use of Hydrogen Hydroxide: To purchase up to a maximum of: Liquid – 2500000 kg of Sodium Hydroxide For the purpose of: Air pollution control system equipment (Chlorine Scrubber System) PT2609-2620 Batu 8, Jalan Changkat Jong, 36000 Teluk Intan, Perak Darul Ridzuan	006087	Expires on 31 December 2021	Subject to the provisions of the Poison Ordinance 1952 and the Poisons (Sodium Hydroxide) Regulations 1962.	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
6.	Central Medicare	Medical Device Authority of Malaysia	Establishment Licence pursuant to Section 15(1) of the MDA: Licence granted as manufacturer	KP68585200518 / 003025	4 July 2018 to 3 July 2021	<ol style="list-style-type: none"> The establishment shall comply with all instructions issued by the Medical Device Authority of Malaysia. The establishment shall apply for the renewal of the Establishment Licence not later than one (1) year before the expiration of the licence. The establishment shall not import, export or place on the market any medical device not authorised by the manufacturer or the authorised representative. The establishment shall conduct post-market responsibilities on the medical devices that are exported, imported and/or placed on the market. 	Complied
7.	Central Medicare	Medical Device Authority of Malaysia	Medical Device Registration Certificate pursuant to Section 5(1) of the MDA: To confirm the registration of the medical device manufactured by Central Medicare known as Non Sterile Powder Free Nitrile Examination Gloves	GA4843720-46096	25 August 2020 - 24 August 2025	<ol style="list-style-type: none"> The establishment must comply with all instructions issued by the Authority from time to time. Medical device registration may be cancelled as prescribed in Section 9 of the MDA. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						<p>3. Any medical device which the registration certificate has been cancelled shall not be imported, exported or placed in the market.</p> <p>4. The establishment shall comply with the MDA, its subsidiary regulations and registration conditions</p>	
8.	Central Medicare	Ministry of Domestic Trade and Consumer Affairs of Malaysia	<p>Scheduled Article Permit issued under Regulation 9(2) of the Control of Supplies Regulation 1974:</p> <p>For the purchase and storage of up to 12,000 litre of unsubsidised diesel</p>	KPDNHEP.TI.60 0-4/3/134 / A000322	23 December 2020 to 22 December 2021	<p>1. To comply with the description of the scheduled article specified in the permit.</p> <p>2. To store the scheduled article at the address stated in the permit only.</p> <p>3. To store or possess scheduled article which is not more than the allowed quantity in the permit.</p> <p>4. To buy the scheduled article which is stated for personal use and not for resale purpose.</p> <p>5. To keep track of a purchase record book containing the name and address of the supplier, date of purchase, quantity and price as well as the invoices, receipts or any other purchase documents for reviewing purposes.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						<p>6. To label the skid tank which is being used for the storage of diesel and petrol with the details of the permit reference number, the type of scheduled article, the name and address of the permit holder and the telephone number of the officer in charge.</p> <p>7. The permit shall not be transferred.</p> <p>8. The renewal of the permit shall be submitted 30 days before the expiry date. The application for renewal will not be entertained and will be considered as a new application if it is submitted after the expiry date.</p>	
9.	Central Medicare	Government of Perak, Hilir Perak Land and District Office	<p>Water abstraction licence issued under Section 5 of the Water Enactment (CAP 146) and the Waters Act 1920</p> <p>To divert water from a river for private or domestic use at Central Medicare's premises</p>	CIP No. 013623	1 January 2021 – 31 December 2021	Nil.	Complied
10.	Central Medicare	Labour Department of Malaysia	<p>Certificate for Accommodation under Section 24D of the Employees' Minimum</p>	PAC/10805/2020/7453	8 January 2021 to 7 January 2024	1. The employer shall not house more than 792 workers at the accommodation.	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
			<p>Standards of Housing, Accommodations and Amenities Act 1990</p> <p>For the hostel for the employees of Central Medicare on Lots 15476-15487, Jalan Changkat Jong, Mukim Changkat Jong, 36000 Teluk Intan, Perak Darul Ridzuan to be certified as an accommodation</p>			<p>2. The employer must comply with the Employee's Minimum Standards of Housing Accommodations and Amenities (Accommodation and Centralized Accommodation) Regulations 2020.</p> <p>3. The deduction from the wages for the purpose of rent or charge in respect of the accommodation is RM50.00 per month for each employee habituating the accommodation.</p> <p>4. The employer shall report on the occupation of employees at this property within 30 days from the date of occupation.</p> <p>5. The employer shall report on the closure of operations of the accommodation within 30 days before the date of closure.</p>	
11.	Central Medicare	Labour Department of Malaysia	<p>Certificate for Accommodation under Section 24D of the Employees' Minimum Standards of Housing, Accommodations and Amenities Act 1990</p>	PP/040920/196	8 January 2021 to 7 January 2024	<p>1. The employer shall not house more than 1845 workers at the accommodation.</p> <p>2. The employer must comply with the Employee's Minimum Standards of Housing Accommodations and Amenities (Accommodation</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
			For the hostel for the employees of Central Medicare at Lot No. 8879 to 8892, Lorong 1, Taman Seri Wangsa 3, 36700 Langkap, Perak Darul Ridzuan to be certified as an accommodation			<p>and Centralized Accommodation) Regulations 2020.</p> <p>3. The deduction from the wages for the purpose of rent or charge in respect of the accommodation is RM50.00 per month for each employee habituating the accommodation.</p> <p>4. The employer shall report on the occupation of employees at this property within 30 days from the date of occupation.</p> <p>5. The employer shall report on the closure of operations of the accommodation within 30 days before the date of closure.</p>	
12.	Central Medicare	DOE	<p>Certificate of Approval under Regulation 38 of the Environmental Quality (Clean Air) Regulation 1978</p> <p>To erect, install, re-site or alter 1 unit of chimney from a scrubber system at Central Medicare – Block A in respect of the gas pollutants erected from the following equipment:</p>	APU 2 (149/2009)	From 3 June 2009	<p>Major conditions would include among others:</p> <p>1. Additional of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance.</p> <p>2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
			i. chlorine dipping tank; and ii. soak rinse tank			3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment. 4. The approval is given provided that it can be withdrawn or revoked if it is found that the installation of the air pollution control system does not comply with drawings or plans that have been approved. 5. Confirmation of receipt of certificate of written approval and compliance of conditions shall be submitted within 30 days from the date of the letter.	
13.	Central Medicare	DOE	<p>Certificate of Approval under Regulation 38 of the Environmental Quality (Clean Air) Regulation 1978</p> <p>To erect, install, resite or alter 1 unit of chimney from a scrubber system at Central Medicare – Block A2 in respect of the gas pollutants erected from the following equipment:</p> i. chlorine dipping tank; and ii. soak rinse tank	APU 2 (186/2010)	From 19 August 2010	<p>Major conditions would include among others:</p> 1. Additional of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance. 2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out.	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
14.	Central Medicare	DOE	<p>Certificate of Approval under Regulation 38 of Environmental Quality (Clean Air) Regulation 1978</p> <p>To erect, install, resite or alter 1 unit of chimney from a scrubber system at Central Medicare – Block A in respect of the gas pollutants erected from the following equipment:</p> <ul style="list-style-type: none"> i. acid tank; ii. water tank; and iii. alkaline tank 	APU 2 (018/2013)	From 26 March 2013	<p>3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment.</p> <p>4. The approval is given provided that it can be withdrawn or revoked if it is found that the installation of the air pollution control system does not comply with drawings or plans that have been approved.</p> <p>5. Confirmation of receipt of certificate of written approval and compliance of conditions shall be submitted within 30 days from the date of the letter.</p> <p>Major conditions would include among others:</p> <ul style="list-style-type: none"> 1. Additional of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance. 2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
15.	Central Medicare	DOE	<p>Written Approval under Regulation 38 of Regulations of the Environmental Quality (Clean Air) Regulation 1978</p> <p>To erect, install or resite 1 unit of chimney at Central Medicare – Block A6</p>	APU 2 (021/2013)	From 29 March 2013	<p>3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment.</p> <p>4. The approval is given provided that it can be withdrawn or revoked if it is found that the installation of the air pollution control system does not comply with drawings or plans that have been approved.</p> <p>5. Confirmation of receipt of certificate of written approval and compliance of conditions shall be submitted within 30 days from the date of the letter.</p> <p>1. The installation of the chimney shall be in accordance to the plan and specification presented.</p> <p>2. The chimney shall be marked with an identification number which is the number 6. The number shall be made of metal and measure the same as the diameter of the chimney and placed at least 1 meter from the top of the chimney.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
16.	Central Medicare	DOE	<p>Written Approval under Regulation 36 and 38 of Environmental Quality (Clean Air) Regulations 1978</p> <p>To erect, install or resite 1 unit of thermal oil heater, 1 unit of multicyclone, 1 unit of scrubber and 1 unit of chimney at Central Medicare – Block A1</p>	APU 2 (51 / 2009)	From 5 March 2009	<p>3. The chimney shall be equipped with sampling ports to conduct chimney sampling and performance evaluation.</p> <p>4. Any alterations to the control system of the chimney must be approved in writing by the Director General of Environment.</p> <p>Major conditions would include among others:</p> <p>1. The addition of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance.</p> <p>2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out.</p> <p>3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
17.	Central Medicare	DOE	<p>Written Approval under Regulation 36 and 38 of Environmental Quality (Clean Air) Regulations 1978</p> <p>To erect, install or resite 1 unit of thermal oil heater, 1 unit of multicyclone, 1 unit of scrubber and 1 unit of chimney at Central Medicare – Block A2</p>	APU 2 (140 / 2011)	From 30 May 2011	<p>4. The approval is given provided that it can be withdrawn or revoked if it is found that the installation of the air pollution control system does not comply with drawings or plans that have been approved.</p> <p>5. Confirmation of receipt of certificate of written approval and compliance of conditions shall be submitted within 30 days from the date of the letter.</p> <p>Major conditions would include among others:</p> <ol style="list-style-type: none"> 1. The addition of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance. 2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out. 3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
18.	Central Medicare	DOE	<p>Written Approval under Regulation 36 and 38 of Environmental Quality (Clean Air) Regulations 1978</p> <p>To erect, install or resite 1 unit of thermal oil heater, 1 unit of multicyclone, 1 unit of scrubber and 1 unit of chimney at Central Medicare – Block A3</p>	APU 2 (071 / 2013)	From 1 August 2013	<p>Major conditions would include among others:</p> <ol style="list-style-type: none"> 1. The addition of manufacturing equipment which causes the emission of new polluted gas must be approved by this Department in advance. 2. Modifications to the equipment already approved must be notified to the DOE within one month after it has been carried out. 3. Any modifications to the air pollution control system must be approved in advance by the Director General of Environment. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						<p>4. The approval is given provided that it can be withdrawn or revoked if it is found that the installation of the air pollution control system does not comply with drawings or plans that have been approved.</p> <p>5. Confirmation of receipt of certificate of written approval and compliance of conditions shall be submitted within 30 days from the date of the letter.</p>	
19.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 1 unit of thermal oil heater model and 1 unit of chimney No.23 at Central Medicare – Block B</p>	Not applicable	Not applicable	<p>1. The installation of fuel burner and chimney must be in accordance with the plan and specifications as required under Regulation 5 of the Environmental Quality (Clean Air) Regulations 2014.</p> <p>2. The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014 which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						<p>commencement date of operation of the air pollution control system.</p> <p>3. The licensee must obtain land status approval from the land & district office, planning permission, building plan approval and business license from the local authority before starting operations.</p>	
20.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 1 unit of generator of 1 x 400 kVA and air pollution control system at Central Medicare – Block B</p>	Not applicable	From 14 October 2016	<p>1. The licensee must comply with the requirements under Regulation 5 of the Environmental Quality (Clean Air) Regulations 2014 to carry out new construction work, increase efficiency or capacity for air pollution control system.</p> <p>2. The licensee must comply with the requirements under Regulation 7(2) of the Environmental Quality (Clean Air) Regulations 2014 which is to appoint a professional engineer to design and supervise the construction of the air pollution control system.</p> <p>3. The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the commencement date of operation of the air pollution control system.	
21.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 1 unit of standby generator of 1 x 850 kVA and air pollution control system at Central Medicare – Block E @ rest area</p>	Not applicable	From 8 August 2018	<p>1. The pollution control system is designed in accordance with the plan and specifications as required under Regulation 5 of the Environmental Quality (Clean Air) Regulations 2014.</p> <p>2. The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014 which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the commencement date of operation of the air pollution control system.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						3. The licensee must obtain land status approval from the land & district office, planning permission, building plan approval and business license from the local authority before starting operations.	
22.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 2 units of thermal oil heater and 2 units of chimney No.20 & 21 at Central Medicare – Block E</p>	Not applicable	From 9 November 2018	<p>1. The installation of fuel burner and chimney must be in accordance with the plan and specifications as required under Regulation 5 of the Environmental Quality (Clean Air) Regulations 2014.</p> <p>2. The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014 which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the commencement date of operation of the air pollution control system.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
23.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 1 unit of standby generator 1 x 600 KVA and 1 unit of Chimney at Central Medicare – Block E @ thermal oil heater area</p>	Not applicable	From 29 November 2018	<p>3. The licensee must obtain land status approval from the land & district office, planning permission, building plan approval and business license from the local authority before starting operations.</p> <p>1. The pollution control system is designed in accordance with the plan and specifications as required under Regulation 5 of the Environmental Quality (Clean Air) Regulations 2014.</p> <p>2. The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014 which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the commencement date of operation of the air pollution control system.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						3. The licensee must obtain land status approval from the land & district office, planning permission, building plan approval and business license from the local authority before starting operations.	
24.	Central Medicare	DOE	<p>Written Notice under Regulation 5 of Environmental Quality (Clean Air) Regulations 2014</p> <p>For the installation of 1 unit of thermal oil heater and 1 unit of chimney no.22 at Central Medicare –Block F</p>	Not applicable	From 20 July 2020	The licensee must comply with the requirements under Regulations 7(5) and 7(6) of the Environmental Quality (Clean Air) Regulations 2014 which is to submit written declarations and related construction drawings showing the position of any work or structure that is part of the air pollution control system to the Director General not less than 30 days from the commencement date of operation of the air pollution control system.	Complied
25.	Central Medicare	DOE	<p>Approval under Regulation (5)(1) of Industrial Effluent Regulations</p> <p>To construct an industrial effluent treatment system at Central Medicare</p>	Not applicable	From 30 March 2017	1. The installation of industrial effluent processing plants must be made in accordance with the plan and specifications required under Regulation 5 of the Industrial Effluent Regulations.	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
26.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 pounds per square inch in gauge ("PSIG")</p>	JKKP PSD SP/127/453/27-5909(2)	From 17 July 2018	<p>2. The licensee must comply with the requirements of the Industrial Effluent Regulations which is to ensure that the industrial effluent processing system is operated and maintained in accordance with comprehensive engineering practices and all components of the industrial effluent processing system function properly.</p> <p>1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994.</p> <p>2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
27.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <ul style="list-style-type: none"> i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG ii. natural gas pipeline after second regulating station not exceeding 20.0 PSIG 	JKKP PSD SP/127/453/27-6074(2)Rev.1	From 27 August 2018	<ul style="list-style-type: none"> 3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH. 1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994. 2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
28.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <p>i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG</p> <p>ii. natural gas pipeline after second regulating station not exceeding 1.0 PSIG</p>	JKPP PSD SP/127/453/27-6151(2)	From 27 August 2018	<p>3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH.</p> <p>1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994.</p> <p>2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
29.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG</p>	JKKP PSD SP/127/453/27-6278(2)	From 10 January 2019	<p>3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH.</p> <p>1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994.</p> <p>2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
30.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <p>i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG</p> <p>ii. natural gas pipeline after second regulating station not exceeding 20.0 PSIG</p>	JKKP PSD SP/127/453/27-6074(2) Rev.1	From 31 January 2019	<p>3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH.</p> <p>1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994.</p> <p>2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
31.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG</p>	JKKP PSD SP/127/453/27-6364(2)	From 21 February 2019	<p>3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH.</p> <p>1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994.</p> <p>2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time.</p>	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
32.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <ul style="list-style-type: none"> i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG ii. natural gas pipeline after second regulating station not exceeding 20.0 PSIG iii. natural gas pipeline after third regulating station not exceeding 5.0 PSIG 	JKKP PSD SP/127/453.27-6475(2)	From 5 April 2019	<ul style="list-style-type: none"> 3. The Company must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH. 1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994. 2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
33.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <ul style="list-style-type: none"> i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG ii. natural gas pipeline after second regulating station not exceeding 1.0 PSIG 	JKKP PSD SP/127/453/27-7474(2)	From 15 December 2020	<ul style="list-style-type: none"> 3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH. 1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994. 2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
34.	Central Medicare	DOSH	<p>Permission to Operate Additional Natural Gas Reticulation Pipe System from Existing Pipeline</p> <p>To operate</p> <ul style="list-style-type: none"> i. natural gas pipeline after the metering station to the second regulating station not exceeding 60.0 PSIG ii. natural gas pipeline after second regulating station not exceeding 20.0 PSIG iii. natural gas pipeline after third regulating station not exceeding 5.0 PSIG 	JKKP PSD SP/127/453/27-7278(2)	From 15 December 2020	<ul style="list-style-type: none"> 3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH. 1. Central Medicare must ensure the safety and health of the workers and others who might be affected by the ongoing operation and maintenance work under commission. In addition, Company to ensure the safety and proper maintenance of the property and the surrounding environment pursuant to Section 15(1) and Section 17 of the Occupational Safety and Health Act 1994. 2. Central Medicare must maintain, examine, and take reasonable steps to ensure the safety of the whole system and have a record book to log all related system activities from time to time. 	Complied

ANNEXURE A: OUR MAJOR LICENCES, PERMITS AND APPROVALS (Cont'd)

No.	Licensee	Approving authority/ Issuer	Description of License, Permit or Approval	Licence/ Permit/ Serial / Reference no.	Validity period	Major conditions imposed	Status of compliance
						3. Central Medicare must adhere to all the officers' feedback during any checks and examinations and ensure the appropriate measures have been taken to correct any mistakes highlighted. Should there be any changes to be implemented beside those stated in the proposed plan, Central Medicare must contact the headquarters of the DOSH.	